

Analytical Report

Sample Code	128-2025-00161581	Report date	18-Dec-2025
Certificate No.	AR-25-VV-151199-01		



Sample Code:	128-2025-00161581
Client Sample Code:	SRORGMC251210F
Sample described as:	Organic Matcha Powder
Analysis Type:	Consignment Testing
Sample Reception Date:	15-Dec-2025
Analysis Starting Date:	15-Dec-2025
Analysis Ending Date:	18-Dec-2025

	Results	Unit	LOQ	LOD
★ SUST9	Pesticides Screen LC-MS/MS in Tea Method: BS EN 15662:2018 Accreditation: ISO/IEC 17025:2017 DAkks D-PL-14292-01-00			
Screened pesticides	<LOQ	mg/kg		
★ SUSTA	Pesticides Screen LC-MS/MS in Tea Method: BS EN 15662:2018 Accreditation: ISO/IEC 17025:2017 DAkks D-PL-14292-01-00			
Screened pesticides	<LOQ	mg/kg		
★ SUSTB	Pesticides Screen LC-MS/MS in Tea Method: BS EN 15662:2018 Accreditation: DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788			
Aminocarb	<LOQ	mg/kg	0.01	
Azaconazole	<LOQ	mg/kg	0.01	
Azamethiphos	<LOQ	mg/kg	0.01	
Buturon	<LOQ	mg/kg	0.01	
Chlorbromuron	<LOQ	mg/kg	0.01	
Difenoxyuron	<LOQ	mg/kg	0.01	
Dimethylvinphos	<LOQ	mg/kg	0.01	
Ditalimfos	<LOQ	mg/kg	0.01	
Fenpiclonil	<LOQ	mg/kg	0.01	
Flamprop-methyl	<LOQ	mg/kg	0.01	
Fluthiacet-methyl	<LOQ	mg/kg	0.01	
Mephosfolan	<LOQ	mg/kg	0.01	
Prothoate	<LOQ	mg/kg	0.01	
Sebuthylazine	<LOQ	mg/kg	0.01	
Thionazin	<LOQ	mg/kg	0.01	
	Results	Unit	LOQ	LOD
★ SUS0Y	Pesticides Screen GC-MS/MS in Tea Method: BS EN 15662:2018 Accreditation: ISO/IEC 17025:2017 DAkks D-PL-14292-01-00			
Screened pesticides	<LOQ	mg/kg		

List of screened molecules

SUS0Y Pesticides Screen GC-MS/MS in Tea (179 parameters)(LOQ* mg/kg)					
2,4-D-butyl ester (0.01)	2-Phenylphenol (0.01)	Acetochlor (0.01)	Aclonifen (0.01)	Aldrin (0.01)	Ametryn (0.01)
Aramite (0.01)	Benfluralin (0.01)	Bifenox (0.01)	Bifenthrin (0.01)	Bromfeninfos (0.01)	Bromophos (0.01)
Bromophos-ethyl (0.01)	Bromopropylate (0.01)	Bromoxynil-octanoate (0.01)	Butafenacil (0.01)	Cadusafos (0.01)	Carbophenothion (0.01)
Carbophenothion-methyl (0.01)	Carboxin (0.01)	Chlorbenside (0.01)	Chlordane (total) (0.01)	Chlordane, alpha (0.01)	Chlordane, gamma (0.01)
Chlorfenapyr (0.01)	Chlorfenson (0.01)	Chlorfenvinphos (0.01)	Chlormephos (0.01)	Chlorobenzilate (0.01)	Chloroneb (0.01)
Chloropropylate (0.01)	Chlorpyrifos-methyl (0.01)	Chlorthal-dimethyl (0.01)	Chlorthion (0.01)	Chlozolinate (0.01)	Cruformate (0.01)
Cyanofenphos (0.01)	Cyanophos (0.01)	Cyfluthrin (0.01)	Cyhalothrin, lambda-(incl. gamma-) (0.01)	Cypermethrin (sum of isomers) (0.01)	Cyphenothrin (0.01)

Eurofins Technology Service (Qingdao) Co., Ltd.
Building A2, Life Medical Device Innovation Park,
No.7, Fenglong Road, High-Tech Zone, Qingdao, Shandong,
China

Phone +86 400 076 1880
www.eurofins.cn



Scan QR code to view report



DDD, o,p'- (0.01) DDT, p,p'- (0.01) Dieldrin (0.01) Edifenphos (0.01) EPN (0.01) Fenchlorphos (0.01) Fenson (0.01)	DDD, p,p'- (0.01) Deltamethrin (0.01) Dieldrin (Sum) () Endosulfan (Sum) () Ethalfuralin (0.01) Fenchlorphos (sum) () Fenthion (0.01)	DDE, o,p'- (0.01) Dichlobenil (0.01) Dinobuton (0.01) Endosulfan, alpha- (0.01) Ethion (0.01) Fenchlorphos oxon (0.01) Fenvalerate & Esfenvalerate (Sum of RS&SR Isomers) (0.01)	DDE, p,p'- (0.01) Dichlofenthion (0.01) Dioxabenzofos (0.01) Endosulfan, beta- (0.01) Etridiazole (0.01) Fenfluthrin (0.01) Fenvalerate & Esfenvalerate (sum of RR,SS,RS,SR) ()	DDT (Sum) () Dichlofluandil (0.01) Dioxathion (0.01) Endosulfan, sulfat- (0.01) Etrinfos (0.01) Fenitrothion (0.01) Fenvalerate & Esfenvalerate (Sum of RR&SS Isomers) (0.01)	DDT, o,p'- (0.01) Dicloran (0.01) Diphenylamine (0.01) Endrin (0.01) Fenamiphos (0.01) Fenpropathrin (0.01) Fluchloralin (0.01)
Flucythrinate (0.01) HCH gamma(Lindan) (0.01) Heptachlor (sum) ()	Flumetralin (0.01) HCH, alpha- (0.01) Heptachlor epoxide, cis- (0.01)	Fluvalinate-tau (0.01) HCH, beta- (0.01) Heptachlor epoxide, trans- (0.01) Isodrin (0.01) Mecarbam (0.01) Mevinphos (0.01) Ofurace (0.01)	Fonofos (0.01) HCH, delta- (0.01) Heptenophos (0.01) Isofenphos (0.01) Mepronil (0.01) Mirex (0.01) Oxadiazon (0.01)	Formothion (0.01) HCH, epsilon- (0.01) Iodofenphos (0.01) Isofenphos-methyl (0.01) Methacrifos (0.01) Nitrapyrin (0.01) Oxychlordane (0.01)	HCb (0.01) Heptachlor (0.01) Iprobenfos (0.01) Isoprothiolane (0.01) Methidathion (0.01) Nitrofen (0.01) Oxyfluorfen (0.01)
Isazofos (0.01) Kresoxim-methyl (0.01) Methoxychlor (0.01) Nitrothal-isopropyl (0.01)	Isocarboxophos (0.01) Landrin (0.01) Metribuzin (0.01) Octachlorodipropyl ether (S-421) (0.01)	Parathion-methyl (0.01) PCB 180 (0.01) Pentachlorothioanisole (0.01)	Parathion-methyl (Sum) () PCB 28 (0.01) Permethrin (sum of isomers) (0.01) Procymidone (0.01) Prothiofos (0.01) Quintozene (0.01) Tefluthrin (0.01) Tolyfluandil (0.01) Uniconazole (0.01)	PCB 101 (0.01) PCB 52 (0.01) Phenthoate (0.01) Profenofos (0.01) Pyrazophos (0.01) Quintozene (Sum) () Terbufos (0.01) Tri-allate (0.01) Vinclozolin (0.01)	PCB 118 (0.01) Pentachloroaniline (0.01) Phorate (0.01) Profluralin (0.01) Pyridalyl (0.01) Quizalofop-P-ethyl (0.01) Tetrachlorvinphos (0.01) Triazamate (0.01)
Picoxystrobin (0.01) Prometryn (0.01) Pyridaphenthion (0.01) Siltiofam (0.01) Tetradifon (0.01) Triazophos (0.01)	Piperophos (0.01) Propanil (0.01) Pyrifeno (0.01) Tebufenpyrad (0.01) Tetramethrin (0.01) Trichloronit (0.01)	Pirimiphos-ethyl (0.01) Propazine (0.01) Quinalphos (0.01) Tecnazene (0.01) Tetrasul (0.01) Trifluralin (0.01)	Acifluorfen (0.01) Bromacil (0.01) Dinocap (sum of dinocap isomers and their correspo (0.01) Fomesafen (0.01) Lufenuron (0.01) Novaluron (0.01) Tepaloxymid (0.01) Trifloxysulfuron (0.01)	Acrinathrin (0.01) Bromoxynil (0.01) Diuron (0.01) Forchlorfenuron (0.01) MCPA (0.01) Primisulfuron-methyl (0.01) Terbacil (0.01) Triflururon (0.01)	Asulam (0.01) Chlorfluazuron (0.01) Fluazifop (0.01) Haloxypol (0.01) Metallumizone (sum of E- and Z- isomers) (0.01) Propoxycarbazon (0.01) Tralkoxydim (0.01)

SUST9

Pesticides Screen LC-MS/MS in Tea (47 parameters)(LOQ* mg/kg)

2,4-D (0.01) Azimsulfuron (0.01) Chlorpropham (0.01)	2,4-D, total () Bensulfuron methyl (0.01) Clothianidin (0.01)	4-CPA (0.01) Bentazone (0.01) Diffubenzuron (0.01)	Acinathrin (0.01) Bromoxynil (0.01) Diuron (0.01)	Asulam (0.01) Chlorfluazuron (0.01) Fluazifop (0.01)
Fluazinam (0.01) Hexaflumuron (0.01)	Fludioxonil (0.01) Imibenconazole (0.01)	Flutolanil (0.01) Ioxynil (sum of ioxynil and its salts, expressed as (0.01) Nicosulfuron (0.01) Tebufenuron (0.01) Tribenuron-methyl (0.01)	Fomesafen (0.01) Lufenuron (0.01) Novaluron (0.01) Tepaloxymid (0.01) Trifloxysulfuron (0.01)	Haloxypol (0.01) Metallumizone (sum of E- and Z- isomers) (0.01) Propoxycarbazon (0.01) Tralkoxydim (0.01)
Metamitron (0.01) Prosulfuron (0.01) Triadimefon (0.01)	Methoxyfenozide (0.01) Tebufenuron (0.01) Triasulfuron (0.01)			

SUSTA

Pesticides Screen LC-MS/MS in Tea (263 parameters)(LOQ* mg/kg)

2,4'-Formoxylidil (Amitraz Metabolite) (0.01) Amitraz (0.01) Benalaxyl including other mixtures of constituent (0.01) Bioresmethrin (0.01) Bupirimate (0.01) Carbendazim/Benomyl (sum) (0.01) Chlorantraniliprole (0.01) Chlorthiophos (0.01) Climazone (0.01) Cyproconazole (0.01) Dichobutrazol (0.01) Dimethopate (0.01) Diphenamid (0.01) EPTC (0.01) Ethirimol (0.01) Fenarimol (0.01) Fenpropidin (0.01) Fenthion (0.01) Fenthion-sulfoxide (0.01) Fluxastobin (0.01) Fosthiazate (0.01) Hexythiazox (any ratio of constituent isomers) (0.01) Iodosulfuron methyl (0.01) Isoxaben (0.01) Malathion (0.01) Methabenzthiazuron (0.01) Metolachlor and S-metolachlor (metolachlor includi (0.01) Monuron (0.01) Nuairimol (0.01) Paraoxon (0.01) Phorate (sum) () Phosmet (0.01) Pirimicarb, desmethyl-formamido- (0.01) Propamocarb (Sum of propamocarb and its salts, exp (0.01) Propoxur (0.01) Pyridaben (0.01) Resmethrin (resmethrin including other mixtures of (0.01) Spinosad (sum) () Sulfotep (0.01)	3-Hydroxycarboxifur (0.01) Amitraz (sum) () Bendiocarb (0.01) Bitteranol (0.01) Buprofezin (0.01) Carboxamide (0.01) Chloridazon (0.01) Chromafenozide (0.01) Cymaphos (0.01) Cyprodinil (0.01) Dicyclofop (0.01) Dimethachlor (0.01) Disulfoton-PS-sulfone (0.01) Ethiofencarb (0.01) Ethionfos (0.01) Fenazaquin (0.01) Fenpropimorph (0.01) Fenthion (sum) () Flazasulfuron (0.01) Fluridone (0.01) Furathiocarb (0.01) Imazalil (any ratio of constituent isomers) (0.01) Iproconazole (0.01) Isoxathion (0.01) Malathion (Sum) () Methiocarb (0.01) Metolcarb (0.01) Myclobutanil (sum of constituent isomers) (0.01) Ormethoate (0.01) Paraoxon-methyl (0.01) Phorate-sulfone (0.01) Phosphamidon (0.01) Pirimicarb-desmethyl (0.01) Propaphos (0.01) Propyzamide (0.01) Pyridate (0.01) Rimsulfuron (0.01) Spinosyn A (0.01) Sulprofos (0.01)	Abamectin (Sum) () Atrazine (0.01) Benfuracar (0.01) Boscalid (0.01) Butocarbaxim-sulfoxide (0.01) Carboxifur (0.01) Chlorobenzuron (0.01) Cinidon-ethyl (0.01) Cyanazine (0.01) Demeton (O+S) (0.01) Diethofencarb (0.01) Dimethenamid including other mixtures of constitute (0.01) Disulfoton-sulfoxide (0.01) Ethiofencarb (sum) () Ethionfos (0.01) Fenbuconazole (sum of constituent enantiomers) (0.01) Fenpyroximate (0.01) Fenthion-oxon (0.01) Fluazifop-P-butyl (0.01) Fluroxypyr-(1-methylheptyl)-ester (0.01) Halosulfuron-methyl (0.01) Imazaquin (0.01) Iprodione (0.01) Isoxathion (0.01) Mefenacet (0.01) Methiocarb (sum) () Metoxuron (0.01) Napropamide (0.01) Oxadixyl (0.01) Pebulate (0.01) Phorate-sulfoxide (0.01) Phoxim (0.01) Pirimiphos-methyl (0.01) Propargite (0.01) Prosulfocarb (0.01) Pyrimethanil (0.01) Rotenone (0.01) Spinosyn D (0.01) TCMTB (0.01)	Acetamidiprid (0.01) Avermectin B1a (0.01) Benoxacar (0.01) Bromuconazole (Sum) () Butoxycarbaxim (0.01) Carboxifur (sum) () Chlorotoluron (0.01) Clethodim (0.01) Cyazofamid (0.01) Desmedipham (0.01) Diethyltoluamide (0.01) Dimethoate (0.01) Dodine (0.01) Ethiofencarb-sulfone (0.01) Ethoxysulfuron (0.01) Fenhexamid (0.01) Fensulfothion (0.01) Fenthion-oxon-sulfone (0.01) Flufenacet (0.01) Flusilazole (0.01) Haloxypol-methyl (0.01) Imidacloprid (0.01) Iprovalicarb (0.01) Lenacil (0.01) Mepanipyrim (0.01) Methiocarb-sulfone (0.01) Molinate (0.01) Neburon (0.01) Oxamyl (0.01) Penconazole (sum of constituent isomers) (0.01) Phosalone (0.01) Picolinafen (0.01) Prochloraz (0.01) Propetamphos (0.01) Pyraclufos (0.01) Pyrimidifen (0.01) Sethoxydim (0.01) Spirodiclofen (0.01) Tebuconazole (0.01)	Acibenzolar-s-methyl (0.01) Avermectin B1b (0.01) Benzoximate (0.01) Bromuconazole, cis- (0.01) Carbaryl (0.01) Carbosulfan (0.01) Chloroxuron (0.01) Clodinafop-propargyl (0.01) Cycloate (0.01) Diflufenicarb (0.01) Difenoconazole (0.01) Dimethomorph (sum of isomers) (0.01) Emamectin B1a (0.01) Ethiofencarb-sulfoxide (0.01) Etofenprox (0.01) Fenobucarb (0.01) Fensulfothion-oxon-sulfone (0.01) Fenthion-oxon-sulfoxide (0.01) Flufenoxuron (0.01) Fluxapyroxad (0.01) Hexaconazole (0.01) Imidacloprid (0.01) Isoprocab (0.01) Linuron (0.01) Metalaxyl and metalaxyl-M (metalaxyl including oth (0.01) Methiocarb-sulfoxide (0.01) Monocrotophos (0.01) Norflurazon (0.01) Oxaziclonifene (0.01) Pencycuron (0.01) Phosolan (0.01) Piperonyl butoxide (0.01) Promecarb (0.01) Propham (0.01) Pyraclufos (0.01) Pyrimidifen (0.01) Simazine (0.01) Spiromesifen (0.01) Tebutam (0.01)	Ametocetradin (0.01) Azoxytobin (0.01) Bifenazate (0.01) Bromuconazole, trans- (0.01) Carbendazim (0.01) Carfentazone-ethyl (0.01) Chlorpyrifos (-ethyl) (0.01) Ciofentazine (0.01) Cycloxydim (0.01) Diazinon (0.01) Diffufenicarb (0.01) Dioxacarb (0.01) Epoxiconazole (0.01) Ethiprole (0.01) Fenamidone (0.01) Fenoxycarb (0.01) Fensulfothion-sulfone (0.01) Fenthion-sulfone (0.01) Fluopicolide (0.01) FM-6-1 (metabolite trifluralin) (0.01) Hexazinone (0.01) Indoxacarb (sum, R+S isomers) (0.01) Isoproturon (0.01) Malacon (0.01) Metconazole (sum of isomers) (0.01) Methomyl (0.01) Monolinuron (0.01) Norflurazon desmethyl (0.01) Oxycarbonyl (0.01) Pendimethalin (0.01) Phosolan-methyl (0.01) Pirimicarb (0.01) Propachlor (0.01) Propiconazole (sum of isomers) (0.01) Pyrethrins (0.01) Quinoxifen (0.01) Simeconazole (0.01) Spiroxamine (0.01) Tebuthiuron (0.01)
---	--	---	---	---	---



TEPP (0.01)	Terbufos-sulfone (0.01)	Terbufos-sulfoxide (0.01)	Terbumeton (0.01)	Terbutylazine (0.01)	Terbutryn (0.01)
Tetraconazole (0.01)	Thiabendazole (0.01)	Thifensulfuron methyl (0.01)	Thiobencarb (0.01)	Thiodicarb (0.01)	Thiofanox-sulfone (0.01)
Thiophanate-methyl (0.01)	Tolclofos-methyl (0.01)	Tolfenpyrad (0.01)	Triadimenol (any ratio of constituent isomers) (0.01)	Trichlorfon (0.01)	Tricyclazole (0.01)
Tridemorph (0.01)	Trifloxystrobin (0.01)	Triflumizol/FM-6-1 (Sum) ()	Triflumizole (0.01)	Triflurosulfuron-methyl (0.01)	Triforine (0.01)
Trimethacarb, 3,4,5- (0.01)	Vamidothion (0.01)	Vamidothion-sulfone (0.01)	Vamidothion-sulfoxide (0.01)	Zoxamide (0.01)	

SIGNATURE


Kenny Zhou
Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

END OF REPORT



Eurofins Technology Service (Qingdao) Co., Ltd.
Building A2, Lifer Medical Device Innovation Park,
No.7, Fenglong Road, High-Tech Zone, Qingdao, Shandong,
China



Phone +86 400 076 1880
www.eurofins.cn



Scan QR code to view report

Analytical Report

Sample Code	128-2025-00161583	Report date	18-Dec-2025
Certificate No.	AR-25-VV-151201-01		



Sample Code:	128-2025-00161583
Client Sample Code:	SRORGMC251210F
Sample described as:	Organic Matcha Powder
Sample Packaging:	Sealed plastic bag
Analysis Type:	Consignment Testing
Sample Reception Date:	15-Dec-2025
Analysis Starting Date:	15-Dec-2025
Analysis Ending Date:	16-Dec-2025

Arrival Temperature (°C)	19.5	Sample Weight	578g
Sample Type	Solid		

	Results	Unit	LOQ	LOD
VV688 Ethylene oxide Method: Internal Method (ESQ-TP-1047)				
2-chloro-ethanol (expr. as ethylene oxide)	<LOQ	mg/kg	0.01	
Ethylene Oxide (free)	<LOQ	mg/kg	0.01	
Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide)	<LOQ	mg/kg	0.01	

SIGNATURE



Lisa Zhang
Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

END OF REPORT

Eurofins Technology Service (Qingdao) Co., Ltd.
Building A2, Life Medical Device Innovation Park,
No.7, Fenglong Road, High-Tech Zone, Qingdao, Shandong,
China



Phone +86 400 076 1880
www.eurofins.cn



Scan QR code to view report

Analytical Report

Sample Code	128-2025-00161582	Report date	18-Dec-2025
Certificate No.	AR-25-VV-151200-01		



Sample Code:	128-2025-00161582
Client Sample Code:	SRORGMC251210F
Sample described as:	Organic Matcha Powder
Sample Packaging:	Sealed plastic bag
Analysis Type:	Consignation Testing
Sample Reception Date:	15-Dec-2025
Analysis Starting Date:	15-Dec-2025
Analysis Ending Date:	17-Dec-2025

Arrival Temperature (°C)	19.5	Sample Weight	578g
Sample Type	Solid		

	Results	Unit	LOQ	LOD
VV121 PAHs Method: Internal Method- ESQ-TP-1033				
Benzo(a)pyrene	1.1	µg/kg	0.5	0.25
Chrysene	5.2	µg/kg	0.5	0.25
Benz(a)anthracene	1.6	µg/kg	0.5	0.25
Benzo(b)fluoranthene	1.7	µg/kg	0.5	0.25
Sum PAH 4	9.6	µg/kg		

SIGNATURE



Chunmei Li
Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD

LOQ: Limit of Quantification

< LOQ: Below Limit of Quantification

N/A means Not applicable

Sum compounds results are calculated from the results of each quantified compound as set by regulation

The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.

The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.

The analytical result herein is applicable for the sample(s) tested only.

This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.

The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.

The Eurofins General Terms and Conditions apply to this analytical report.

END OF REPORT

Eurofins Technology Service (Qingdao) Co., Ltd.
 Building A2, Life Medical Device Innovation Park,
 No.7, Fenglong Road, High-Tech Zone, Qingdao, Shandong,
 China



Phone +86 400 076 1880
www.eurofins.cn



Scan QR code to view report

Analytical Report

Sample Code	128-2025-00161580	Report date	18-Dec-2025
Certificate No.	AR-25-VV-151198-01		



Sample Code:	128-2025-00161580
Client Sample Code:	SRORGMC251210F
Sample described as:	Organic Matcha Powder
Analysis Type:	Consignment Testing
Sample Reception Date:	15-Dec-2025
Analysis Starting Date:	15-Dec-2025
Analysis Ending Date:	17-Dec-2025

	Results	Unit	LOQ	LOD
★ SUS00	Pesticide Tea QuEChERS method GC-MS/MS(Large) Selected Parameter(s) Method: BS EN 15662:2018 Accreditation: DAKKS:D-PL-14292-01-00&CMA:211020342268&CNAS:L3788			
Anthraquinone	<LOQ	mg/kg	0.01	
	Results	Unit	LOQ	LOD
★ SUST5	Pesticide Screening GC-MS/MS Selected Parameter(s) Method: BS EN 15662:2018			
Folpet	<LOQ	mg/kg	0.01	
Phthalimide (PI)	<LOQ	mg/kg	0.01	
Folpet/PI (Sum calculated as Folpet)	N/A	mg/kg		

SIGNATURE



Kenny Zhou
Authorized Signatory

EXPLANATORY NOTE

Not Detected means the result is less than LOD
 LOQ: Limit of Quantification
 < LOQ: Below Limit of Quantification ☆ means the test is subcontracted within Eurofins group
 N/A means Not applicable © means the test is subcontracted outside Eurofins group
 Sum compounds results are calculated from the results of each quantified compound as set by regulation
 The uncertainty has not been taken into account for standards that already include measurement uncertainty or on explicit request of client.
 The sample description and information are provided by the Client. Eurofins is not responsible for verifying the accuracy, relevancy, adequacy and/or completeness of the information provided by the Client.
 The analytical result herein is applicable for the sample(s) tested only.
 This analytical report shall not be excerpted or modified without prior written approval from Eurofins. The report shall be utilized in full.
 The result(s) is(are) only for internal use by the client and not for publicly available as evidence. Without the written permission of Eurofins, any party is prohibited from using the test results and the report for publicity or promotions or marketing.
 The Eurofins General Terms and Conditions apply to this analytical report.

END OF REPORT

